


		8	7			5	
	ITEM NO.	PART NO.	DESCRIPTION	QTY.		ITEM NO.	PART NO.
-	1	P795	solution tank, HP90	1	_	64	H096
F	2	B119	filter, strainer, 1/4"	1	_	65	C302LA
	3	B112	adapter, filter, 1/4" mpt x .453 slip	<u> </u>		66	H135V
	<u>4</u> 5	H212 B103	flat washer, 9/16"ID x 1 1/16"OD, AN960-C916 elbow, 90 deg street, 1/4"mpt x 1/4" fpt	<u>6</u> 2	_	67 68	H289 H389
-	6	B103	45 deg, street elbow, brass, 1/4" male NPTF	2	-	69	E536
-	7	B107	nipple, hex, 1/4"mpt x 1/4"mpt	1	-	70	H246
-	8	H846B	cap, gallon jug, 1-5/8"	<u>'</u> 1	-	71	H635
	9	AH206	sol hose, 1/4" x 48", 1/4MPT x 1/4MPT	1	1	72	P796
-	10	H379	bracket, front, small	1	-	73	B156
-	11	H201	bolt, 1/4-20 x 1/2" hex head, s/s	2		74	G105
-	12	H213	washer, 1/4" lock, s/s	5	-	75	E373
	13	H210	washer, 1/4" flat, s/s	11		76	H314
E	14	H216	nut, lock, 1/4-20, nylon insert, s/s	2		77	P520
	15	H316	bolt, 1/4-20 x 1-1/2" hex head, s/s	2	]	78	PH633-10
	16	H484	plate, mounting, QD	1		79	P502
	17	H230	screw, 10-32 x 1/2", phil pan, s/s	8		80	G091
	18	B102	quick disconnect, 1/4" fqd x 1/4" fpt	1		81	G090
	19	H485	handle, aluminum grip, black	1		82	H304
	20	G052	washer, buna 1-1/8" od x 3/16" id	2		83	G003
_	21	H211	washer, 1/4"id x 1"od, flat, s/s	2		84	G097
	22	H202	bolt, 1/4-20 x 3/4" hex head, s/s	18		85	PH63325
	23	G019	lid, solution tank, HP90	1		86	A926
-	24	PH612-60	clear tubing, 1/2" OD x 3/8" ID, faucet fill	1		87	H225
D	25	B241	adapter, brass, 3/8" barb x 1/4"mpt	2			
-	26	H178	faucet fill	1	_		
-	27	H390A	bracket, "L", 2" x 2"	3			
-	28	H770	bolt, 1/4-20 x 1/2" serrated hex flange, zinc	6	_		
-	29	H312	plate, connecting, MyteeLite	2			
	30	H220 E531	fitting, strain relief, cord power cord, male end, blue lit, 25', 12/3, SJTW solid jacket, LA0041	1 1	_		
	32	H221	nut, lock, 1/2" steel, electrical	1	_		
-	33	H667	caster, 3", Black Hub, Gray Tread	4	-		
-	34	H208	nut, lock, flanged, 1/4-20, nylon insert, s/s	16	-		
-	35	H792	nut, lock, 6-32, nylon insert	2	-		
С	36	E632	relay, shut-off switch, mechanical float, 115v	<u>-</u> 1			
	37	H632	plate, mounting, relay switch, dual circuit indicator	1	1		
-	38	H186	screw, 10-32 x 3/4, phil, flat, countersunk, s/s, black	2			
-	39	H124V	CUFF-LYNX, 2" female cuff X 2" male thread starter cuff	1	-		
	40	H194	coupler, 2" dia x 3" length, s/s	1			
	41	H217	clamp, hose, 2-1/4 dia	2			
	42	PH628-29	vac hose, 2", black, wire reinforced	1			
	43	P794	base, spyder	1			
_	44	H528	bracket, heater mounting, dual	1			
В	45	A907	heater, 1200w, 115v	1	_		
	46	B142	coupling, 1/4" fpt x 1/4" fpt	1	-		
	47	B108	valve, brass, 1/4" check	1	1		
	48	B113	tee, 1/4" fpt x 1/4" fpt	<u> </u>	_		
	49	B541	valve, relief, 250 psi				
-	50	B109	barb, 1/4" barb x 1/4" mpt				
-	51	B110	adapter, brass, 1/4" sw barb x 1/4" fpt, w/gasket	2	-		
	52 53	B174 PH634-30	ferrule, .50" id x 1" (B-500-SP3) sol hose, 1/4", silicone braided, clear	4	_		
	53 	H273	nut, kep, #10-32 zinc	5	-		
	55	B105	bushing, 3/8"mpt x 1/4"mpt	1	1		
A	56	B152	elbow, brass, 90 deg, 1/4" barb x 1/4" mpt	1	-		
	57	PH634-18	sol hose, 1/4", silicone braided, clear	1	-		
	58	H222	screw, 10-32 x 1-1/4" phil pan head, s/s	4	1		
	59	B259A	qd, brass, 1/4" fqd x fpt	1	1		
	60	B260A	quick disconnect, 1/4" mqd x mpt, open-spray	1	1		
	61	C305	pump, 120 psi, 115V	1			
	62	G004	gasket, vacuum motor	1			
	63	H503	vac support, 3 stage, 3.25", no thrds	3			
		8	7			5	

ITEM NO.	PART NO.	DESCRIPTION	QTY.	
64	H096	H096 bolt, hex, 1/4-20 x 4", zinc Finish		
65	C302LA	vac motor, 3 stage, low amp	1	
66	H135V Cuff-Lynx, 2" male cuff x 2" mpt, vinyl		1	
67	H289 washer, 10 flat, s/s		1	
68	H389 screw, 10-32 x 1/2" SHCS, alloy		1	
69	E536 switch, rocker, 2 position- eureka		3	
70	H246 screw, 8-32 x 3/8" SHCS, alloy, Black		4	
71	H635 plate, switch, HP90		1	
72	P796 black vacuum tank, HP90		1	
73	B156 nut, 1/4" npt		1	
74	G105	gasket, valve, buna, handtool		
75	E373	E373 level switch, vacuum shut-off, rear threads		
76	H314 nut, lock, 1-1/2", steel		1	
77	P520 adapter, 1.5" mpt pvc		1	
78	PH633-10 pipe, pcv, 1-1/2" x 10" lg.		1	
79	P502 adapter, 1.5" pvc, fslip x fslip		1	
80	G091 gasket, 7", vac lid		1	
81	G090 lid, vac tank, clear, 7"		1	
82	H304 screw, 8 x 5/8", phil oval, s/s		6	
83	G003 filter, foam, 2", vac stack, 1/2"		1	
84	G097 filter, screen mesh, 1.90" dia		1	
85	PH63325	pipe, pvc, 1-1/2"	1	
86	A926	elbow, inlet assembly 2"	1	
87	H225	valve, drain, 1-1/2"	1	



	DRAWN	NAME V. LaBarbera	DATE 6/2024			<b>MYTEE</b> 858-679-1191		
	CHECKED			TITLE:		300 0, 7 1.7, 1		
	THE INFOI DRAWING MYTEE PR REPRODL WITHOUT MYTEE PR	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MYTEE PRODUCTS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MYTEE PRODUCTS, INC. IS		SIZE C	DWG.	NO. HP90		7.25
	PROHIBITE	PROHIBITED.			E: 1:50	DO NOT SCALE DRAWING	SHEE	T 1 OF 5
3		2				1		





8

MYTEE NAME DATE DRAWN V. LaBarbera 6/2024 TITLE: CHECKED PROPRIETARY AND CONFIDENTIAL PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
MYTEE PRODUCTS, INC. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
MYTEE PRODUCTS, INC. IS
PROHIBITED. SIZE DWG. NO. REV 7.25 SCALE: 1:50 SHEET 3 OF 5

2

2

